

مقالات مرکز تحقیقات طب سنتی و تاریخ پزشکی در سال 2024

A Novel Approach to COVID-19 Pneumonia according to Persian Medicine.

M Ruyvaran, M Mojahedi... - Journal of Military ..., 2024 - search.ebscohost.com

Background and Aim: COVID-19 pulmonary manifestations vary from mild pneumonia to acute respiratory distress syndrome. Regarding the lack of specific treatment, its wide range of ...

Save Cite Related articles

[PDF] fums.ac.ir

[PDF] Journal of Advanced Biomedical Sciences

B Pezeshki, SM Torabi, MS Rahimabadi... - 2024 - journal.fums.ac.ir

Background & Objectives: Diabetes is a known chronic disease affecting more than 400 million people and causing millions of deaths worldwide annually. The World Health ...

Save Cite Related articles All 3 versions

[PDF] wiley.comFull View

Efficacy of castor oil cream in treating infraorbital hyperpigmentation: An exploratory single-arm clinical trial

MM Parvizi, N Saki, S Samimi... - Journal of Cosmetic ..., 2024 - Wiley Online Library

Introduction Infraorbital hyperpigmentation represents one of the most prevalent conditions in cosmetic dermatology. To treat this condition, many patients prefer natural remedies. This ...

Save Cite Cited by 4 Related articles All 4 versions

[HTML] tums.ac.ir

[HTML] The evaluation of complete blood count parameters in the patients with idiopathic versus secondary cerebral venous thrombosis

MJ Gholamzadeh, E Hooshmandi... - Current Journal of ..., 2024 - cjn.tums.ac.ir

AbstractBackground: Several laboratory markers derived from a complete blood count (CBC) have been proposed as potential indicators for assessing the risk of cerebral venous ...

Save Cite Related articles All 2 versions

[PDF] springer.com

Evidence-based practice in traditional persian medicine (TPM): a stakeholder and social network analysis

SR Abdipour Mehrian, S Uddin, Z Ghahramani... - ... Medicine and Therapies, 2024 - Springer

Background The utilization of complementary and alternative medicine (CAM) is experiencing a global surge, accompanied by the adoption of national CAM policies in numerous ...

Save Cite Cited by 1 Related articles All 9 versions

[PDF] wiley.comFull View

Correlates of malnutrition in patients with heart failure: the role of social support

MH Sharifi, M Afshari, HM Vardanjani... - ESC Heart ..., 2024 - Wiley Online Library

Aims Heart failure (HF) is a major public health challenge. Malnutrition has a significant effect on HF prognosis. Understanding the impact of social and clinical factors on the risk of ...

Save Cite Related articles All 5 versions

Occlusion therapy for amblyopia, a historical report from 9th century Persian scholar, Ali ibn Sahl ibn Rabban al-Tabari (838–870 CE)

N Tajik, MR Talebnejad, M Heydari - Strabismus, 2024 - Taylor & Francis

Introduction This study reevaluates the historical origins of occlusion therapy for amblyopia, focusing on the contributions of the 9th-century Islamic scholar, Ali ibn Sahl ibn Rabban al-...

Save Cite Related articles All 3 versions

[PDF] [wiley.com](#)Full View

What medical conditions lead to a request for euthanasia? A rapid scoping review

Z Rahimian, L Rahimian... - Health Science ..., 2024 - Wiley Online Library

Background and Aims Euthanasia is a controversial issue related to the right to die. Although euthanasia is mostly requested by terminally sick individuals, even in societies where it is ...

Save Cite Cited by 4 Related articles All 9 versions

Successful maintenance treatment of a patient with resistant hyperthyroidism with traditional Persian medicine recommendations: A case report and literature review

MM Parvizi, S Foolad, A Zeighami... - Complementary ..., 2024 - karger.com

Introduction: Hyperthyroidism is a common endocrinology condition that could affect several aspects of the patient's life. Case Presentation: We present a 27-year-old woman who was ...

Save Cite Related articles All 4 versions

[PDF] [nih.gov](#)

How Similar Are Drug Data and Disease Self-report? Estimating the Prevalence of Chronic Diseases in Less Developed Settings

SRA Mehrian, Z Ghahramani... - Archives of Iranian ..., 2024 - pmc.ncbi.nlm.nih.gov

Background: Drug data has been used to estimate the prevalence of chronic diseases.

Disease registries and annual surveys are lacking, especially in less-developed regions. At the ...

Save Cite Related articles All 6 versions

How Similar Are Drug Data and Disease Self-report? Estimating the Prevalence of Chronic Diseases in Less Developed Settings.

SR Abdipour Mehrian, Z Ghahramani... - Archives of Iranian ..., 2024 - search.ebscohost.com

Background: Drug data has been used to estimate the prevalence of chronic diseases.

Disease registries and annual surveys are lacking, especially in less-developed regions. At the ...

Save Cite Related articles

[PDF] [frontiersin.org](#)

Efficacy and safety of aniseed powder for treating gastrointestinal symptoms of COVID-19: a randomized, placebo-controlled trial

M Mosaffa-Jahromi, H Molavi Vardanjani... - Frontiers in ..., 2024 - frontiersin.org
Background: Gastrointestinal symptoms are prevalent amongst patients with a confirmed diagnosis of COVID-19 and may be associated with an increased risk of disease severity. This ...

Save Cite Cited by 2 Related articles All 7 versions

Antihistamine and COVID-19 outcomes in outpatients

S Samimi, M Nimrouzi, M Sousani... - Journal of Investigative ..., 2024 - journals.sagepub.com

The World Health Organization declared the coronavirus disease 2019 (COVID-19) pandemic on March 11, 2020. Since then, researchers have been investigating the efficacy and side ...

Save Cite Related articles All 2 versions

[PDF] kne-publishing.com

A Complementary Therapy with *Trigonella foenum-graecum* L. and *Citrullus colocynthis* (L.) in Type 2 Diabetes Mellitus: A Double-Blind Randomized Controlled ...

B Pezeshki, SM Torabi... - Journal of ..., 2024 - publish.kne-publishing.com

Background & Objectives: Diabetes is a known chronic disease affecting more than 400 million people and causing millions of deaths worldwide annually. The World Health ...

Save Cite Related articles All 6 versions

[HTML] nih.gov

[HTML] Efficacy of Topical Rosemary Extract Lotion versus Topical 2% Ketoconazole Lotion in the Treatment of Seborrheic Dermatitis: A Double-Blind Randomized ...

MS Sadati, F Alesana, M Hekmat... - ... Practical & Conceptual, 2024 - pmc.ncbi.nlm.nih.gov
Introduction Seborrheic dermatitis manifests as greasy itchy lesions commonly affecting sebum-rich areas like the scalp and face. Its prevalence is 11.6% in the general population, with ...

Save Cite Related articles All 6 versions

Effect of grape-based syrup on cancer-related fatigue in patients with breast cancer: a double-blind randomized clinical trial

H Mirzaei, M Pasalar, R Gharehgozlou... - ... , Health & Behavior, 2024 - Taylor & Francis
Background and Objectives Cancer-related fatigue (CRF) is a common side effect of cancer that significantly affects patients' quality of life. This study aimed to assess the impact of ...

Save Cite Related articles

[HTML] nih.gov

[HTML] Mortality Rate and Years of Life Lost Due to Ischemic Heart Disease in Southern Iran between 2004 and 2019: A Population-Based Study

MH Sharifi, A Mirahmadizadeh... - Archives of Iranian ..., 2024 - pmc.ncbi.nlm.nih.gov

Background: Cardiovascular diseases (CVDs) account for one-third of all deaths worldwide.
Methods: In this cross-sectional study, we extracted all death records from the Electronic ...

Save Cite Related articles All 5 versions

[HTML] [brieflands.com](#)

[HTML] Additive and Dose-Dependent Effect of Rituximab on Pediatric Patients' Outcomes Concurrently Receiving Immunosuppressive Chemotherapy, A Prospective ...

A Amanati, HM Vardanjani, O Zekavat... - Archives of Pediatric ..., 2024 - [brieflands.com](#)

Background: Rituximab (RTX) is approved for treating CD20-positive B-cell malignancies, including non-Hodgkin lymphoma, when used alongside chemotherapy. It has the potential to ...

Save Cite Related articles All 3 versions

[PDF] [ssph-journal.org](#)

Prevalence and Incidence of Metabolic Syndrome and Its Components Among Waterpipe Users

Y Sadeghi, M Naghash, H Poustchi... - ... Journal of Public ..., 2024 - [ssph-journal.org](#)

Objectives To determine the associations between waterpipe use, duration, and intensity of use with prevalence and incidence of metabolic syndrome and its components (increased ...

Save Cite Related articles All 5 versions

[PDF] [sbmu.ac.ir](#)

[PDF] Tārīkh-i pizishkī

F Hasanzadeh, N Abolhasanbeigi, Z Hasanzadeh... - [journals.sbmu.ac.ir](#)

Background and Aim: Chronic kidney disease affects one out of ten people today. These diseases are generally irreversible, progressive and associated with cardiovascular risks. One ...

Save Cite Related articles

Alnustone: a review of its sources, pharmacology, and pharmacokinetics

Z Salari, M Alavi, H Rezaii-Zadeh... - Current Molecular ..., 2024 - [benthamdirect.com](#)

Alnustone (4(E)-,6(E)-1,7-Diphenyl-hepta-4,6-dien-3-one) is a non-phenolic natural diarylheptanoid, which was first isolated and identified from the male flower of *Alnus pendula* (...)

Save Cite Cited by 1 Related articles All 2 versions

[PDF] [nih.gov](#)

Protocol for a scoping review of traditional medicine research methods, methodologies, frameworks and strategies

N Ijaz, J Hunter, S Grant, K Templeman - Frontiers in Medicine, 2024 - [pmc.ncbi.nlm.nih.gov](#)

Background The World Health Organization (WHO) has called for the evidence-informed integration of traditional medicine (TM) into health systems. Research rigor requires a good “fit” ...

Save Cite Cited by 3 Related articles All 3 versions

Cardioprotective Diet to Prevent Anthracycline-Induced Cardiotoxicity in Patients with Breast Cancer: A Randomized Open-Label Controlled Trial

A Alizadehasl, M Malekzadeh Moghani... - Journal of integrative ..., 2024 - liebertpub.com

Objectives: Several studies have indicated that dietary interventions may offer protection against the development of cardiac damage in the case of anthracycline-induced ...

Save Cite Related articles All 4 versions

[PDF] frontiersin.org

Protocol for a scoping review of traditional medicine research methods, methodologies, frameworks and strategies

N Ijaz, J Hunter, S Grant, K Templeman - Frontiers in Medicine, 2024 - frontiersin.org

Background The World Health Organization (WHO) has called for the evidence-informed integration of traditional medicine (TM) into health systems. Research rigor requires a good “fit” ...

Save Cite Related articles

[PDF] springer.comFull View

Synthesis and biological assessment of novel 4*H*-chromene-3-carbonitrile derivatives as tyrosinase inhibitors

M Azimi, Z Najafi, A Bahmani, G Chehardoli, A Iraji - BMC chemistry, 2024 - Springer

Excessive activity of the tyrosinase enzyme during melanogenesis results in hyperpigmentation in the skin. To address this issue, there is a need to develop effective tyrosinase ...

Save Cite Cited by 1 Related articles All 7 versions

[PDF] nature.com

Synthesis, biological evaluation and molecular modeling studies of methyl indole-isoxazole carbohydrazide derivatives as multi-target anti-Alzheimer's agents

A Iraji, P Nikfar, M Nazari Montazer, M Karimi... - Scientific Reports, 2024 - nature.com

Alzheimer's disease (AD) is a progressive neurodegenerative disorder that affects the elderly population globally and there is an urgent demand for developing novel anti-AD agents. In ...

Save Cite Cited by 1 Related articles All 7 versions

Carotid intima media thickness and glomerular filtration rate: a baseline analysis of the PolyIran-L trial

A Dehghan, A Ardekani, M Akabri, Y Sadeghi... - Journal of ..., 2024 - Springer

Background The relationship between kidney and vascular health is acknowledged, but detailed information is still missing. This study examines the relationship of estimated ...

Save Cite Related articles All 2 versions

Ginger for Pain Management in Primary Dysmenorrhea: A Systematic Review and Meta-Analysis

R Moshfeghinia, N Salmanpour... - Journal of integrative ..., 2024 - liebertpub.com

Background: Primary dysmenorrhea is a common gynecological disorder that affects many women of reproductive age. Ginger, a widely used spice with anti-inflammatory properties, ...

Save Cite Related articles All 6 versions

[PDF] frontiersin.org

Diet, nutrition, and functional foods for chronic pain

R Field, F Pourkazemi, MH Hashempur... - Frontiers in ..., 2024 - frontiersin.org

(3,4). However, despite efforts, implementation of biopsychosocial approaches remains challenging (5) and the effectiveness of available treatments in significantly improving outcomes ...

Save Cite Cited by 1 Related articles All 5 versions

[CITATION] Sama Loori, Hormoz Pourtaher, Abdolmohammad Mehranpour 1E, Alireza Hasaninejad

M Eftekharian, A Iraj - Scientific Reports, 2024

Save Cite Related articles

Antineoplastic agents associated with neutropenic enterocolitis in patients with malignancy: A quantitative safety signal analysis

A Amanati, R Van Manen... - Journal of Oncology ..., 2024 - journals.sagepub.com

Background The use of certain chemotherapy agents is associated with the development of a condition called “chemotherapy-associated neutropenic enterocolitis” (CANE). Objective ...

Save Cite Related articles All 3 versions

Agomelatine efficacy in treatment resistant obsessive-compulsive disorder: A randomized controlled trial

A Nejati, A Bazrafshan... - The International Journal ..., 2024 - journals.sagepub.com

Background Obsessive-compulsive disorder (OCD) is a prevalent and burdensome mental health condition, often resistant to conventional treatments. Agomelatine (Valdoxan), a ...

Save Cite Related articles All 3 versions

[PDF] degruyter.com

Reporting of adverse effects of pomegranate in clinical studies: a systematic review

H Zare, E Amiri Ardekani, A Tavakoli... - ... of Complementary and ..., 2024 - degruyter.com

Objectives Numerous studies have shown the pharmacological effects of pomegranate, such as: anti-cancer, cholesterol-lowering, anti-diabetic, and antihypertensive features. ...

Save Cite Cited by 5 Related articles All 4 versions

[PDF] nature.com

Synthesis of novel aryl-substituted 2-aminopyridine derivatives by the cascade reaction of 1, 1-enediamines with vinamidinium salts to develop novel anti-Alzheimer ...

S Loori, H Pourtaher, A Mehranpour, A Hasaninejad... - Scientific Reports, 2024 - nature.com
Alzheimer’s disease (AD), a severe neurodegenerative disorder, imposes socioeconomic burdens and necessitates innovative therapeutic strategies. Current therapeutic interventions ...

Save Cite Cited by 2 Related articles All 4 versions

Comparison of ketamine with buprenorphine as adjunctive therapy in the treatment of comorbid major depressive disorder and opium use disorders: A randomized ...

J Ahmadi, A Mansoori, SH Mosavat... - ... Journal of Psychiatry ..., 2024 - journals.sagepub.com

Background Comorbid major depressive disorder (MDD) and opium use disorder (OUD) are known to increase the risk of suicide. The purpose of this study was to compare the efficacy ...

Save Cite Related articles All 3 versions

[PDF] frontiersin.org

Auricular pressure as an adjuvant treatment for type 2 diabetes: data mining and meta-analysis

Y Yu, Q Xiang, X Liu, Y Yin, S Bai, R Yu - Frontiers in Endocrinology, 2024 - frontiersin.org

Objective This study aimed to explore the clinical efficacy and acupoint combinations of auricular pressure for treating type 2 diabetes. Methods Eight common databases were ...

Save Cite Related articles All 4 versions

[PDF] frontiersin.org

Exploring the mechanism of action of Modified Simiao Powder in the treatment of osteoarthritis: an *in-silico* study

Z Xu, P Su, X Zhou, Z Zheng, Y Zhu, Q Wang - Frontiers in Medicine, 2024 - frontiersin.org

Introduction Osteoarthritis (OA) is the most common form of arthritis and the leading musculoskeletal disorders in adults. Modified Simiao Powder (MSMP) has been widely used in the ...

Save Cite Related articles All 3 versions

بررسی شیوع مصرف مکملهای غذایی در بین بیماران مراجعه کننده به کلینیک پوست بیمارستان شهید فقیهی شیراز.

- Sadra Medical ..., 2024 - search.ebscohost.com

Introduction: Dietary supplement consumption has increased worldwide. This study aimed to determine the prevalence of dietary supplement consumption in patients referred to the ...

Save Cite Related articles

[PDF] bmsu.ac.ir

رویکرد جدید به ذات‌الریه کووید-19 بر اساس طب ایرانی

2024 - militarymedj.bmsu.ac.ir

زمینه و هدف: تظاهرات درگیری ریه در کووید-19 می‌تواند از یک عفونت ساده ریوی تا سندرم زجر حاد تنفسی متغیر باشد. با توجه به نبود درمان اختصاصی مؤثر، طیف متنوع تظاهرات بالینی، و بویژه ...

Save Cite Related articles

بیماری تیفوس در ایالت آذربایجان در دوره قاجار (۱۲۹۵-۱۲۹۶).

- Sadra Medical ..., 2024 - search.ebscohost.com

Typhus is a disease common to both humans and animals, transmitted by lice, ticks, or rats.

The tick variant of this disease is more prevalent in colder regions such as Azerbaijan, where ...

Save Cite Related articles

Tip: Search for **English** results only. You can specify your search language in Scholar Settings.

[PDF] arakmu.ac.ir

در شهر فسا: یک مطالعه مقطعی HIV/AIDS بررسی میزان استفاده از طب سنتی و مکمل در بیماران

cmja.arakmu.ac.ir - زرشناس, نجیبی, سیده مریم, دهقان, عزیزاله, امیری... - مجله طب ... 2024

Traditional and Complementary Medicine Use in HIV/AIDS Patients in Fasa City: A Cross-Sectional

Study Page 1 Copyright © 2024 The Author(s); Published by Complementary ...

Save Cite Related articles All 3 versions

[PDF] sbmu.ac.ir

تأثیر گیاه خارشتر و مان آن (ترنجبین) بر بیماری‌های کلیه و مجاری ادراری: یک مرور نظام‌مند

journals.sbmu.ac.ir - فاطمه حسن زاده, نگین ابوالحسن بیگی... - مجله تاریخ پزشکی ...

زمینه و هدف: بیماری‌های مزمن کلیوی امروز از هر ده نفر یک نفر را درگیر می‌کند. این بیماری‌ها عموماً برگشت‌ناپذیر، پیش‌رونده و با خطرات بیشتر قلبی عروقی همراه است. یکی از گیاهان پرکاربرد در ...

Save Cite Related articles